

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07478**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Cafe Bubblers 1

Collect Date: 05/12/2016
Collect Time: 06:01
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.008	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07479**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Cafe Bubblers 2

Collect Date: 05/12/2016
Collect Time: 06:02
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07480**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Kitchen Eye Wash Sink 1

Collect Date: 05/12/2016
Collect Time: 05:59
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.005	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07483**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Kitchen Sink 1

Collect Date: 05/12/2016
Collect Time: 06:01
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07485**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Main Office 1

Collect Date: 05/12/2016
Collect Time: 06:05
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07486**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Main Office 2

Collect Date: 05/12/2016
Collect Time: 06:06
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07487**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 203 Sink 1

Collect Date: 05/12/2016
Collect Time: 06:36
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.010	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1

Sample ID: **AW07488**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 203 Sink 2

Collect Date: 05/12/2016
Collect Time: 06:37
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07491**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Outside Rm. 203 1

Collect Date: 05/12/2016
Collect Time: 06:33
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.006	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07493**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 101-1

Collect Date: 05/12/2016
Collect Time: 06:00
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.004	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1

Sample ID: **AW07496**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Room 206-1

Collect Date: 05/12/2016
Collect Time: 06:25
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.023	0.015	X	mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07498**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Room 206-2

Collect Date: 05/12/2016
Collect Time: 06:27
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.014	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07502**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Room 204 #1

Collect Date: 05/12/2016
Collect Time: 06:32
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.030	0.015	X	mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07504**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Room 204 #2

Collect Date: 05/12/2016
Collect Time: 06:33
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.003	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07506**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Outside Rm. 208 Stairside #1

Collect Date: 05/12/2016
Collect Time: 06:14
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07510**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Room By Stair 6 #1

Collect Date: 05/12/2016
Collect Time: 06:28
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.037	0.015	X	mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07511**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Room By Stair 6 #2

Collect Date: 05/12/2016
Collect Time: 06:29
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.004	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07512**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 109 #1

Collect Date: 05/12/2016
Collect Time: 06:25
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.005	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07513**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 109 #2

Collect Date: 05/12/2016
Collect Time: 06:26
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07516**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Nurses Sink #1

Collect Date: 05/12/2016
Collect Time: 06:10
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.008	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07517**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Nurses Sink #2

Collect Date: 05/12/2016
Collect Time: 06:11
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07518**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Outside Rm. 208 Double Door Side #1

Collect Date: 05/12/2016
Collect Time: 06:19
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07520**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 208 #1

Collect Date: 05/12/2016
Collect Time: 06:23
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.051	0.015	S+X	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07521**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 208 #2

Collect Date: 05/12/2016
Collect Time: 06:24
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No **Field Residual Chlorine:**

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.005	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07522**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Staff Room #1

Collect Date: 05/12/2016
Collect Time: 06:30
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.010	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07523**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Staff Room #2

Collect Date: 05/12/2016
Collect Time: 06:31
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07525**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 102 #1

Collect Date: 05/12/2016
Collect Time: 06:08
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.014	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07526**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 102 #2

Collect Date: 05/12/2016
Collect Time: 06:10
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.003	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07527**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 11 #1

Collect Date: 05/12/2016
Collect Time: 07:16
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.004	0.015	S+	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07528**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 11 #2

Collect Date: 05/12/2016
Collect Time: 07:18
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07529**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 27 #1

Collect Date: 05/12/2016
Collect Time: 07:24
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07530**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 27 #2

Collect Date: 05/12/2016
Collect Time: 07:25
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.006	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07531**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 1 Bubblers #1

Collect Date: 05/12/2016
Collect Time: 07:00
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.004	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07532**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 1 Bubblers #2

Collect Date: 05/12/2016
Collect Time: 07:01
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07533**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Bubbler Outside Cafe #1

Collect Date: 05/12/2016
Collect Time: 07:08
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07534**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Bubbler Outside Cafe #2

Collect Date: 05/12/2016
Collect Time: 07:09
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07535**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 24 #1

Collect Date: 05/12/2016
Collect Time: 07:29
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.010	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07536**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 24 #2

Collect Date: 05/12/2016
Collect Time: 07:30
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.006	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07537**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Kitchen Sink #1

Collect Date: 05/12/2016
Collect Time: 07:11
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.022	0.015	X	mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07538**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Kitchen Sink #2

Collect Date: 05/12/2016
Collect Time: 07:12
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.004	0.015		mg/L	SM3113B	SUB*	7/27/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07539**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 5 Sink #1

Collect Date: 05/12/2016
Collect Time: 07:14
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.011	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07540**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 5 Sink #2

Collect Date: 05/12/2016
Collect Time: 07:15
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07541**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Outside Elevator 3rd Flr #1

Collect Date: 05/12/2016
Collect Time: 07:20
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07542**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Outside Elevator 3rd Flr #2

Collect Date: 05/12/2016
Collect Time: 07:21
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07543**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 2 #1

Collect Date: 05/12/2016
Collect Time: 06:58
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.004	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07544**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 2 #2

Collect Date: 05/12/2016
Collect Time: 06:59
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07545**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 7 #1

Collect Date: 05/12/2016
Collect Time: 07:02
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.001	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07546**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 7 #2

Collect Date: 05/12/2016
Collect Time: 07:03
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	7/29/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07547**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 23 #1

Collect Date: 05/12/2016
Collect Time: 07:27
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.014	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07548**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 23 #2

Collect Date: 05/12/2016
Collect Time: 07:28
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.007	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1

Sample ID: AW07549
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Nurse Sink #1

Collect Date: 05/12/2016
Collect Time: 07:03
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No Field Residual Chlorine:

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Table with 8 columns: Test, Result, MCL, Qualifiers, Units, Method Used, Analyst, Analysis Date. Row 1: Lead, 0.007, 0.015, mg/L, SM3113B, SUB*, 8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
T Temperature outside specifications
S(+/-) Lab control sample outside acceptance limits
(+ Result may be biased high / - Result may be biased low)
R Duplication outside acceptance limits
A Sample contained air bubble or headspace
M(+/-) Matrix spike recovery outside acceptance limits
H Hold time exceeded
B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.

Handwritten signature of John Wilson

John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07550**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Nurse Sink #2

Collect Date: 05/12/2016
Collect Time: 07:04
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07551**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES *Collect Date:* 05/12/2016
Owner: South Lewis Port Leyden *Collect Time:* 07:30
Sample Loc: South Lewis Port Leyden *Collected by:* FILLEY/HAUCK
Sample Pt: Outside Elevator 2nd Flr #1 *Receipt Temp:* 21 C see note 1

Water Source: *Potable:* Yes
Chlorinated: No *Field Residual Chlorine:* *Grab/Comp:* Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07552**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES *Collect Date:* 05/12/2016
Owner: South Lewis Port Leyden *Collect Time:* 07:31
Sample Loc: South Lewis Port Leyden *Collected by:* FILLEY/HAUCK
Sample Pt: Outside Elevator 2nd Flr #2 *Receipt Temp:* 21 C see note 1

Water Source: *Potable:* Yes
Chlorinated: No *Field Residual Chlorine:* *Grab/Comp:* Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07553**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 12 #1

Collect Date: 05/12/2016
Collect Time: 07:20
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07554**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 12 #2

Collect Date: 05/12/2016
Collect Time: 07:21
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1

Sample ID: AW07555
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 30 #1

Collect Date: 05/12/2016
Collect Time: 07:26
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No Field Residual Chlorine:

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Table with 8 columns: Test, Result, MCL, Qualifiers, Units, Method Used, Analyst, Analysis Date. Row 1: Lead, 0.001, 0.015, mg/L, SM3113B, SUB*, 8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
T Temperature outside specifications
S(+/-) Lab control sample outside acceptance limits
(+ Result may be biased high / - Result may be biased low)
R Duplication outside acceptance limits
A Sample contained air bubble or headspace
M(+/-) Matrix spike recovery outside acceptance limits
H Hold time exceeded
B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.

Handwritten signature of John Wilson

John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1

Sample ID: AW07556
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 30 #2

Collect Date: 05/12/2016
Collect Time: 07:27
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No Field Residual Chlorine:

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Table with 8 columns: Test, Result, MCL, Qualifiers, Units, Method Used, Analyst, Analysis Date. Row 1: Lead, <0.001, 0.015, mg/L, SM3113B, SUB*, 8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
T Temperature outside specifications
S(+/-) Lab control sample outside acceptance limits
(+ Result may be biased high / - Result may be biased low)
R Duplication outside acceptance limits
A Sample contained air bubble or headspace
M(+/-) Matrix spike recovery outside acceptance limits
H Hold time exceeded
B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.

Handwritten signature of John Wilson

John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07557**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 26 #1

Collect Date: 05/12/2016
Collect Time: 07:33
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1

Sample ID: AW07558
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 26 #2

Collect Date: 05/12/2016
Collect Time: 07:34
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No Field Residual Chlorine:

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Table with 8 columns: Test, Result, MCL, Qualifiers, Units, Method Used, Analyst, Analysis Date. Row 1: Lead, 0.001, 0.015, mg/L, SM3113B, SUB*, 8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
T Temperature outside specifications
S(+/-) Lab control sample outside acceptance limits
(+ Result may be biased high / - Result may be biased low)
R Duplication outside acceptance limits
A Sample contained air bubble or headspace
M(+/-) Matrix spike recovery outside acceptance limits
H Hold time exceeded
B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.

Handwritten signature of John Wilson

John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07559**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Stairside Outside Rm. 12 #1

Collect Date: 05/12/2016
Collect Time: 07:13
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07560**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Stairside Outside Rm. 12 #2

Collect Date: 05/12/2016
Collect Time: 07:15
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07561**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 6 #1

Collect Date: 05/12/2016
Collect Time: 07:05
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1

Sample ID: AW07562
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 6 #2

Collect Date: 05/12/2016
Collect Time: 07:06
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No Field Residual Chlorine:

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Table with 8 columns: Test, Result, MCL, Qualifiers, Units, Method Used, Analyst, Analysis Date. Row 1: Lead, <0.001, 0.015, mg/L, SM3113B, SUB*, 8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
T Temperature outside specifications
S(+/-) Lab control sample outside acceptance limits
(+ Result may be biased high / - Result may be biased low)
R Duplication outside acceptance limits
A Sample contained air bubble or headspace
M(+/-) Matrix spike recovery outside acceptance limits
H Hold time exceeded
B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.

Handwritten signature of John Wilson

John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07563**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Bubbler Outside Lockers Exit #1

Collect Date: 05/12/2016
Collect Time: 07:35
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07564**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Bubbler Outside Lockers Exit #2

Collect Date: 05/12/2016
Collect Time: 07:36
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07565**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Cafe Bubblers #1

Collect Date: 05/12/2016
Collect Time: 07:06
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07566**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Cafe Bubblers #2

Collect Date: 05/12/2016
Collect Time: 07:07
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07567**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Outside Room 18 #1

Collect Date: 05/12/2016
Collect Time: 07:07
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.003	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07568**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Outside Room 18 #2

Collect Date: 05/12/2016
Collect Time: 07:09
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.005	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07569**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 10 #1

Collect Date: 05/12/2016
Collect Time: 07:11
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07570**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Port Leyden
Sample Loc: South Lewis Port Leyden
Sample Pt: Room 10 #2

Collect Date: 05/12/2016
Collect Time: 07:12
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07571**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Bubbler Outside Do #1

Collect Date: 05/13/2016
Collect Time: 06:10
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07572**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Bubbler Outside Do #2

Collect Date: 05/13/2016
Collect Time: 06:11
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07573**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Concession Std Sink #1

Collect Date: 05/13/2016
Collect Time: 06:28
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.008	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07574**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Concession Std Sink #2

Collect Date: 05/13/2016
Collect Time: 06:29
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07575**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Faculty Room 204 #1

Collect Date: 05/13/2016
Collect Time: 06:40
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.005	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07576**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Faculty Room 204 #2

Collect Date: 05/13/2016
Collect Time: 06:41
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07577**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Custodial Sink Basement #1

Collect Date: 05/13/2016
Collect Time: 06:37
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	8/1/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07579**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Custodial Sink Basement #2

Collect Date: 05/13/2016
Collect Time: 06:38
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07580**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: HS Office #1

Collect Date: 05/13/2016
Collect Time: 06:38
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07581**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: HS Office #2

Collect Date: 05/13/2016
Collect Time: 06:39
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07582**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Bubbler Outside Gym #1

Collect Date: 05/13/2016
Collect Time: 06:27
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07583**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Bubbler Outside Gym #2

Collect Date: 05/13/2016
Collect Time: 06:28
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07585**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Concession Std Sink #1

Collect Date: 05/13/2016
Collect Time: 06:28
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.004	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07586**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Concession Std Sink #2

Collect Date: 05/13/2016
Collect Time: 06:29
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07587**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: District Office Kitchenette #1

Collect Date: 05/13/2016
Collect Time: 06:07
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07588**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: District Office Kitchenette #2

Collect Date: 05/13/2016
Collect Time: 06:08
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.007	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07589**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Library Kitchenette #1

Collect Date: 05/13/2016
Collect Time: 06:15
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

X Exceeds maximum contamination limit R Duplication outside acceptance limits H Hold time exceeded
T Temperature outside specifications A Sample contained air bubble or headspace B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits M(+/-) Matrix spike recovery outside acceptance limits
(+ Result may be biased high / - Result may be biased low)


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/4/2016 Page 1 of 1
Sample ID: **AW07590**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/4/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Library Kitchenette #2

Collect Date: 05/13/2016
Collect Time: 06:16
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/2/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis was completed by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07482**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Kitchen Eye Wash Sink 2

Collect Date: 05/12/2016
Collect Time: 06:00
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07484**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Kitchen Sink 2

Collect Date: 05/12/2016
Collect Time: 06:01
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07492**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Outside Rm. 203 2

Collect Date: 05/12/2016
Collect Time: 06:34
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07494**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Rm. 101-2

Collect Date: 05/12/2016
Collect Time: 06:02
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07500**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Bubbler Between Rm. 110-111 #1

Collect Date: 05/12/2016
Collect Time: 06:16
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07501**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Bubbler Between Rm. 110-111 #2

Collect Date: 05/12/2016
Collect Time: 06:17
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07507**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Outside Rm. 208 Stairside #2

Collect Date: 05/12/2016
Collect Time: 06:16
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07508**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Bubbler Between Rm. 122-120 #1

Collect Date: 05/12/2016
Collect Time: 06:17
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07509**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Bubbler Between Rm. 122-120 #2

Collect Date: 05/12/2016
Collect Time: 06:18
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07514**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Library Sink #1

Collect Date: 05/12/2016
Collect Time: 06:12
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:


- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07515**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Library Sink #2

Collect Date: 05/12/2016
Collect Time: 06:12
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/2/2016 Page 1 of 1
Sample ID: **AW07519**
Date Received: 05/13/2016
Time Received: 17:20
Date Finalized: 8/1/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis Glenfield Elementary
Sample Loc: South Lewis Glenfield Elementary
Sample Pt: Outside Rm. 208 Double Door Side #2

Collect Date: 05/12/2016
Collect Time: 06:21
Collected by: FILLEY/HAUCK
Receipt Temp: 21 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	MN	7/7/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07591**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Sink Resource Room 334 #1

Collect Date: 05/13/2016
Collect Time: 06:18
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07592**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Sink Resource Room 334 #2

Collect Date: 05/13/2016
Collect Time: 06:19
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07593**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Outside Room 238 Between Bath #1

Collect Date: 05/13/2016
Collect Time: 06:46
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07594**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Outside Room 238 Between Bath #2

Collect Date: 05/13/2016
Collect Time: 06:47
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07595**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: MS Office #1

Collect Date: 05/13/2016
Collect Time: 06:43
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07596**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: MS Office #2

Collect Date: 05/13/2016
Collect Time: 06:44
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07597**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Nurse Fountain #1

Collect Date: 05/13/2016
Collect Time: 06:40
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07598**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Nurse Fountain #2

Collect Date: 05/13/2016
Collect Time: 06:41
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07599**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: 118 Boy/Girl Bath #1

Collect Date: 05/13/2016
Collect Time: 06:32
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1

Sample ID: **AW07600**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: 118 Boy/Girl Bath #2

Collect Date: 05/13/2016
Collect Time: 06:34
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No **Field Residual Chlorine:**

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported


MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
 Environmental Laboratory Supervisor and contact person
 If you have questions, please call.
 (518) 525-5480 / 5479

Reviewed by Brian Collins
 These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: AW07601
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Cafe Bubblers Small #1

Collect Date: 05/13/2016
Collect Time: 06:19
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.013	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07602**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Cafe Bubblers Small #2

Collect Date: 05/13/2016
Collect Time: 06:19
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.008	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: AW07603
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Norse Hand Sink #1

Collect Date: 05/13/2016
Collect Time: 06:38
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1

Sample ID: AW07604
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Norse Hand Sink #2

Collect Date: 05/13/2016
Collect Time: 06:39
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No Field Residual Chlorine:

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Table with 8 columns: Test, Result, MCL, Qualifiers, Units, Method Used, Analyst, Analysis Date. Row 1: Lead, <0.001, 0.015, mg/L, SM3113B, SUB*, 8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
T Temperature outside specifications
S(+/-) Lab control sample outside acceptance limits
(+ Result may be biased high / - Result may be biased low)
R Duplication outside acceptance limits
A Sample contained air bubble or headspace
M(+/-) Matrix spike recovery outside acceptance limits
H Hold time exceeded
B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.

Handwritten signature of John Wilson

John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07605**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 1 #1

Collect Date: 05/13/2016
Collect Time: 06:24
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1

Sample ID: AW07606
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 1 #2

Collect Date: 05/13/2016
Collect Time: 06:25
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No Field Residual Chlorine:

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Table with 8 columns: Test, Result, MCL, Qualifiers, Units, Method Used, Analyst, Analysis Date. Row 1: Lead, <0.001, 0.015, mg/L, SM3113B, SUB*, 8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
T Temperature outside specifications
S(+/-) Lab control sample outside acceptance limits
(+ Result may be biased high / - Result may be biased low)
R Duplication outside acceptance limits
A Sample contained air bubble or headspace
M(+/-) Matrix spike recovery outside acceptance limits
H Hold time exceeded
B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.

Handwritten signature of John Wilson

John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07607**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 2 #1

Collect Date: 05/13/2016
Collect Time: 06:26
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.003	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07608**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 2 #2

Collect Date: 05/13/2016
Collect Time: 06:27
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07609**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 3 #1

Collect Date: 05/13/2016
Collect Time: 06:27
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07610**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 3 #2

Collect Date: 05/13/2016
Collect Time: 06:28
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07611**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 4 #1

Collect Date: 05/13/2016
Collect Time: 06:29
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.017	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07612**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Home EC 4 #2

Collect Date: 05/13/2016
Collect Time: 06:30
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.002	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07613**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Cook Sink #1

Collect Date: 05/13/2016
Collect Time: 06:18
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07614**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Cook Sink #2

Collect Date: 05/13/2016
Collect Time: 06:19
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

Fred Hauck
20104 State Route 3
Watertown ,NY 13601

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07615**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Vegetable Sink #1

Collect Date: 05/13/2016
Collect Time: 06:14
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07616**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Vegetable Sink #2

Collect Date: 05/13/2016
Collect Time: 06:16
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07617**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Hand Sink #1

Collect Date: 05/13/2016
Collect Time: 06:12
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07618**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Hand Sink #2

Collect Date: 05/13/2016
Collect Time: 06:13
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07619**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: B/G Bath Before 204 #1

Collect Date: 05/13/2016
Collect Time: 06:43
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07620**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: B/G Bath Before 204 #2

Collect Date: 05/13/2016
Collect Time: 06:44
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07621**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Pot Sink #1

Collect Date: 05/13/2016
Collect Time: 06:14
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	0.005	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07622**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Kitchen Pot Sink #2

Collect Date: 05/13/2016
Collect Time: 06:16
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank

Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07623**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Cafe Bubblers Large #1

Collect Date: 05/13/2016
Collect Time: 06:19
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07624**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Cafe Bubblers Large #2

Collect Date: 05/13/2016
Collect Time: 06:20
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07625**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Rays Ice Athletic

Collect Date: 05/13/2016
Collect Time: 06:45
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

X Exceeds maximum contamination limit	R Duplication outside acceptance limits	H Hold time exceeded
T Temperature outside specifications	A Sample contained air bubble or headspace	B Analyte detected in blank
S(+/-) Lab control sample outside acceptance limits	M(+/-) Matrix spike recovery outside acceptance limits	
(+ Result may be biased high / - Result may be biased low)		


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.

Jefferson-Lewis BOCES

**Fred Hauck
20104 State Route 3
Watertown ,NY 13601**

Printed On : 8/5/2016 Page 1 of 1
Sample ID: **AW07626**
Date Received: 05/16/2016
Time Received: 16:19
Date Finalized: 8/5/2016
PO Number:
Your Ref:

Customer: Jefferson-Lewis BOCES
Owner: South Lewis MS/HS
Sample Loc: South Lewis MS/HS
Sample Pt: Freds Ice Concession

Collect Date: 05/13/2016
Collect Time: 06:47
Collected by: FILLEY/HAUCK
Receipt Temp: 16 C see note 1

Water Source:
Chlorinated: No *Field Residual Chlorine:*

Potable: Yes
Grab/Comp: Grab

L a b o r a t o r y R e p o r t

Test	Result	MCL	Qualifiers	Units	Method Used	Analyst	Analysis Date
Lead	<0.001	0.015		mg/L	SM3113B	SUB*	8/3/2016

Qualifiers Key:

- X Exceeds maximum contamination limit
- T Temperature outside specifications
- S(+/-) Lab control sample outside acceptance limits
- (+ Result may be biased high / - Result may be biased low)
- R Duplication outside acceptance limits
- A Sample contained air bubble or headspace
- M(+/-) Matrix spike recovery outside acceptance limits
- H Hold time exceeded
- B Analyte detected in blank


Legend: < Less Than, > Greater Than mg/L=PPM, ug/L=PPB If no collection time was given, 00:00 is reported
MCL = Maximum Contaminant Level referenced from New York State Subpart 5-1 of the Public Drinking Water Standards and/or National Primary/Secondary Drinking Water Standards.

Note 1: Per ELAP requirements, water analyzed for alkalinity, color, conductivity, nitrate, nitrite, sulfate, organics, UV absorbance, non-potable bacteriological analyses, BOD/CBOD, solids and phosphorus are required to be on ice to indicate the chilling process has begun. Samples must be between 0-6C and not frozen.

Comments:

SUB* Lead analysis done by NYSDOH #10709.

Test procedures for all analyses meet NELAC requirements unless noted.



John Wilson
Environmental Laboratory Supervisor and contact person
If you have questions, please call.
(518) 525-5480 / 5479

Reviewed by Brian Collins
These results relate to samples as received.

New York State DOH E.L.A.P. # 10350

The documents accompanying this telecopy transmission contain confidential information, belonging to the sender, that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information after its stated need is fulfilled. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of these documents.